

**Notice of Allowability**

Application No.

09/801,343

Examiner

Gautam R. Patel

Applicant(s)

YUKAWA, HIROAKI

Art Unit

2655

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 6-28-05.
2. ☒ The allowed claim(s) is/are 1,2,9,10 and 17-29.
3. ☒ The drawings filed on 08 March 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

### **ALLOWANCE & EXAMINER'S AMENDMENT**

1. Pursuant to M.P.E.P. § 606.01, the title has been changed to read:  
-- A diffractive optical element with a pair of opposite surfaces projecting light on a photodetector --.
2. The following is an Examiner's Statement of Reasons for Allowance:  
Claims 1-2, 9-10 and 17-29 are allowable over the prior art of record since the cited references taken individually or in combination fails to particularly disclose an apparatus which includes an optical pickup which includes among other things "a diffraction grating which has pair of opposite surfaces for maximizing primary diffraction efficiencies of first and second light projected on a photodetector". It is noted that the closest prior art, Uchizaki et al. (US patent 6,646,975) shows a similar apparatus that has diffraction grating doing similar thing. However Uchizaki et al. fails to disclose two-sided grating, and Kato [6,829,091] shows a two-sided grating but it not being used in the same fashion and for same reason as disclosed by the Applicants.
3. Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably **accompany** the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### **Other prior art cited**

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
  - a. Kato et al. (US. Patent 6,829,091) "Optical system and optical instrument with diffractive optical element".

Art Unit: 2655

### Contact Information

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gautam R. Patel whose telephone number is 571-272-7625. The examiner can normally be reached on Monday through Thursday from 7:30 to 6.

The appropriate fax number for the organization (Group 2650) where this application or proceeding is assigned is 703-872-9306.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Wayne Young can be reached on (571) 272-7582.

Any inquiry of a general nature or relating to the status of this application should be directed to the Electronic Business Center whose telephone number is 866-217-9197 or the USPTO contact Center telephone number is (800) PTO-9199.



Gautam R. Patel  
Primary Examiner  
Group Art Unit 2655

August 23, 2005